

## Exercise 5.3

### Question 1:

Match the following:

- (i) Straight angle
- (ii) Right angle
- (iii) Acute angle
- (iv) Obtuse angle
- (v) Reflex angle


- (a) less than one-fourth a revolution
- (b) more than half a revolution
- (c) half of a revolution
- (d) one-fourth a revolution
- (e) between  $\frac{1}{4}$  and  $\frac{1}{2}$  of a revolution
- (f) one complete revolution

### Answer 1:


- (i) → (c)
- (ii) → (d)
- (iii) → (a)
- (iv) → (e)
- (v) → (b)

### Question 2:


Classify each one of the following angles as right, straight, acute, obtuse or reflex:



(a)




(b)




(c)



(d)



(e)



(f)

**Answer 2:**

- (a) Acute angle
- (b) Obtuse angle
- (c) Right angle
- (d) Reflex angle
- (e) Straight angle
- (f) Acute angle


## Exercise 5.4

### Question 1:

What is the measure of (i) a right angle? (ii) a straight angle?

#### Answer 1:

(i)  $90^\circ$



(ii)  $180^\circ$



### Question 2:

Say True or False:

- (a) The measure of an acute angle  $< 90^\circ$ .
- (b) The measure of an obtuse angle  $< 90^\circ$ .
- (c) The measure of a reflex angle  $> 180^\circ$ .
- (d) The measure of one complete revolution =  $360^\circ$ .
- (e) If  $m\angle A = 53^\circ$  and  $m\angle B = 35^\circ$ , then  $m\angle A > m\angle B$ .

#### Answer 2:

- (a) True
- (b) False
- (c) True
- (d) True
- (e) True

### Question 3:

Write down the measure of:

- (a) some acute angles  
(give at least two examples of each)


(b) some obtuse angles

#### Answer 3:


- (a)  $35^\circ, 20^\circ$
- (b)  $110^\circ, 135^\circ$

**Question 4:**


Measure the angles given below, using the protractor and write down the measure:




(a)



(b)



(c)



(d)

**Answer 4:**(a)  $40^\circ$ (c)  $90^\circ$ (b)  $130^\circ$ (d)  $60^\circ$ **Question 5:**

Which angle has a large measure? First estimate and then measure:


Measure of angle A =

Measure of angle B =

**Answer 5:**

$\angle B$  has larger measure.


$\angle A = 40^\circ$  and  $\angle B = 65^\circ$

**Question 6:**

From these two angles which has larger measure? Estimate and then confirm by measuring them:

**Answer 6:**

Second angle has larger measure.



### Question 7:

Fill in the blanks with acute, obtuse, right or straight:




- (a) An angle whose measure is less than that of a right angle is \_\_\_\_\_.
- (b) An angle whose measure is greater than that of a right angle is \_\_\_\_\_.
- (c) An angle whose measure is the sum of the measures of two right angles is \_\_\_\_\_.
- (d) When the sum of the measures of two angles is that of a right angle, then each one of them is \_\_\_\_\_.
- (e) When the sum of the measures of two angles is that of a straight angle and if one of them is acute then the other should be \_\_\_\_\_.

### Answer 7:

- (a) acute angle
- (b) obtuse angle
- (c) straight angle
- (d) acute angle
- (e) obtuse angle

### Question 8:

Find the measure of the angle shown in each figure. (First estimate with your eyes and then find the actual measure with a protractor).



### Answer 8:

- (i)  $30^\circ$
- (ii)  $120^\circ$
- (iii)  $60^\circ$
- (iv)  $150^\circ$

**Question 9:**


Find the angle measure between the hands of the clock in each figure:



9.00 a.m.



1.00 p.m.



6.00 p.m.

**Answer 9:**

- (i)  $90^\circ$  (Right angle)
- (ii)  $30^\circ$  (Acute angle)
- (iii)  $180^\circ$  (Straight angle)

**Question 10:**

Investigate:


In the given figure, the angle measure  $30^\circ$ . Look at the same figure through a magnifying glass. Does the angle become larger? Does the size of the angle change?

**Answer 10:**

No, the measure of angle will be same.

**Question 11:**

Measure and classify each angle:



Angle	Measure	Type
$\angle AOB$		
$\angle AOC$		
$\angle BOC$		
$\angle DOC$		
$\angle DOA$		
$\angle DOB$		

**Answer 11:**

Angle	$\angle AOB$	$\angle AOC$	$\angle BOC$	$\angle DOC$	$\angle DOA$	$\angle DOB$
Measure	$40^\circ$	$130^\circ$	$90^\circ$	$90^\circ$	$140^\circ$	$180^\circ$
Type	Acute	Obtuse	Right	Right	Obtuse	Straight

## Exercise 5.5

### Question 1:

Which of the following are models for perpendicular lines:

- (a) The adjacent edges of a table top.
- (b) The lines of a railway track.
- (c) The line segments forming the letter 'L'.
- (d) The letter V.


### Answer 1:

- (a) Perpendicular
- (b) Not perpendicular
- (c) Perpendicular
- (d) Not perpendicular

### Question 2:

Let  $\overline{PQ}$  be the perpendicular to the line segment  $\overline{XY}$ . Let  $\overline{PQ}$  and  $\overline{XY}$  intersect in the point A. What is the measure of  $\angle PAY$ ?

### Answer 2:



### Question 3:


There are two "set-squares" in your box. What are the measures of the angles that are formed at their corners? Do they have any angle measure that is common?

### Answer 3:

One set-square has  $45^\circ, 90^\circ, 45^\circ$  and other set-square has  $60^\circ, 90^\circ, 30^\circ$ . They have  $90^\circ$  as common angle.

### Question 4:

Study the diagram. The line  $l$  is perpendicular to line  $m$ .



- (a) Is  $CE = EG$ ?
- (b) Does  $PE$  bisect  $CG$ ?
- (c) Identify any two line segments for which  $PE$  is the perpendicular bisector.
- (d) Are these true? (i)  $AC > FG$       (ii)  $CD = GH$       (iii)  $BC < EH$

### Answer 4:

- (a) Yes, both measure 2 units.
- (b) Yes, because  $CE = EG$
- (c)  $\overline{DF}$  and  $\overline{CG}$ ,  $\overline{BH}$
- (d) (i) True, (ii) True, (iii) True

## Exercise 5.6

### Question 1:

Name the types of following triangles:

- (a) Triangle with lengths of sides 7 cm, 8 cm and 9 cm.
- (b)  $\triangle ABC$  with  $AB = 8.7$  cm,  $AC = 7$  cm and  $BC = 6$  cm.
- (c)  $\triangle PQR$  such that  $PQ = QR = PR = 5$  cm.
- (d)  $\triangle DEF$  with  $m\angle D = 90^\circ$
- (e)  $\triangle XYZ$  with  $m\angle Y = 90^\circ$  and  $XY = YZ$
- (f)  $\triangle LMN$  with  $m\angle L = 30^\circ$ ,  $m\angle M = 70^\circ$  and  $m\angle N = 80^\circ$ .

### Answer 1:

- (a) Scalene triangle
- (b) Scalene triangle
- (c) Equilateral triangle
- (d) Right-angled triangle
- (e) Isosceles right-angled triangle
- (f) Acute-angled triangle

### Question 2:

Match the following:


Measure of Triangle	Types of Triangle
(i) 3 sides of equal length	(a) Scalene
(ii) 2 sides of equal length	(b) Isosceles right angle
(iii) All sides are of different length	(c) Obtuse angle
(iv) 3 acute angles	(d) Right angle
(v) 1 right angle	(e) Equilateral
(vi) 1 obtuse angle	(f) Acute angle
(vii) 1 right angle with two sides of equal length	(g) Isosceles

### Answer 2:

- (i)  $\rightarrow$  (e),
- (ii)  $\rightarrow$  (g),
- (iii)  $\rightarrow$  (a),
- (iv)  $\rightarrow$  (f),
- (v)  $\rightarrow$  (d),
- (vi)  $\rightarrow$  (c),
- (vii)  $\rightarrow$  (b)

**Question 3:**

Name each of the following triangles in two different ways: (You may judge the nature of angle by observation)

**Answer 3:**

- (a) Acute angled triangle and Isosceles triangle
- (b) Right-angled triangle and scalene triangle
- (c) Obtuse-angled triangle and Isosceles triangle
- (d) Right-angled triangle and Isosceles triangle
- (e) Equilateral triangle and acute angled triangle
- (f) Obtuse-angled triangle and scalene triangle

**Question 4:**


Try to construct triangles using match sticks. Some are shown here.

Can you make a triangle with:

- (a) 3 matchsticks?
- (b) 4 matchsticks?
- (c) 5 matchsticks?
- (d) 6 matchsticks?

(Remember you have to use all the available matchsticks in each case)

If you cannot make a triangle, think of reasons for it.

**Answer 4:**

- (a) 3 matchsticks

This is an acute angle triangle and it is possible with 3 matchsticks to make a triangle because sum of two sides is greater than third side.

- (b) 4 matchsticks

This is a square, hence with four matchsticks we cannot make triangle.



- (c) 5 matchsticks

This is an acute angle triangle and it is possible to make triangle with five matchsticks, in this case sum of two sides is greater than third side.



- (d) 6 matchsticks

This is an acute angle triangle and it is possible to make a triangle with the help of 6 matchsticks because sum of two sides is greater than third side.



## *Exercise 5.7*

### **Question 1:**

Say true or false:

- (a) Each angle of a rectangle is a right angle.
- (b) The opposite sides of a rectangle are equal in length.
- (c) The diagonals of a square are perpendicular to one another.
- (d) All the sides of a rhombus are of equal length.
- (e) All the sides of a parallelogram are of equal length.
- (f) The opposite sides of a trapezium are parallel.

### **Answer 1:**

- |           |           |
|-----------|-----------|
| (a) True  | (b) True  |
| (c) True  | (d) True  |
| (e) False | (f) False |

### **Question 2:**

Give reasons for the following:

- (a) A square can be thought of as a special rectangle.
- (b) A rectangle can be thought of as a special parallelogram.
- (c) A square can be thought of as a special rhombus.
- (d) Squares, rectangles, parallelograms are all quadrilateral.
- (e) Square is also a parallelogram.

### **Answer 2:**

- (a) Because its all angles are right angle and opposite sides are equal.
- (b) Because its opposite sides are equal and parallel.
- (c) Because its four sides are equal and diagonals are perpendicular to each other.
- (d) Because all of them have four sides.
- (e) Because its opposite sides are equal and parallel.

### **Question 3:**

A figure is said to be regular if its sides are equal in length and angles are equal in measure. Can you identify the regular quadrilateral?


### **Answer 3:**

A square is a regular quadrilateral.


## Exercise 5.8

### Question 1:


Examine whether the following are polygons. If anyone among these is not, say why?



(a)



(b)



(c)



(d)

### Answer 1:

(a) As it is not a closed figure, therefore, it is not a polygon.

(b) It is a polygon because it is closed by line segments.

(c) It is not a polygon because it is not made by line segments.


(d) It is not a polygon because it is not made only by line segments, it has curved surface also.

### Question 2:


Name each polygon:




(a)



(b)



(c)



(d)

Make two more examples of each of these.

### Answer 2:

(a) Quadrilateral

(b) Triangle

(c) Pentagon


(d) Octagon

**Question 3:**

Draw a rough sketch of a regular hexagon. Connecting any three of its vertices, draw a triangle. Identify the type of the triangle you have drawn.

**Answer 3:**

ABCDEF is a regular hexagon and triangle thus formed by joining AEF is an isosceles triangle.




**Question 4:**

Draw a rough sketch of a regular hexagon. Connecting any three of its vertices, draw a triangle. Identify the type of the triangle you have drawn.

**Answer 4:**

ABCDEFGH is a regular octagon and CDGH is a rectangle.




**Question 5:**

A diagonal is a line segment that joins any two vertices of the polygon and is not a side of the polygon. Draw a rough sketch of a pentagon and draw its diagonals.

**Answer 5:**

ABCDE is the required pentagon and its diagonals are AD, AC, BE and BD.



### Exercise 5.9

**Question 1:**

Match the following:

(a) Cone

(i)



(b) Sphere

(ii)



(c) Cylinder

(iii)



(d) Cuboid

(iv)



(e) Pyramid

(v)



Give two example of each shape.

**Answer 1:**

(a) Cone

(ii)



(b) Sphere

(iv)



(c) Cylinder

(v)



(d) Cuboid

(iii)



(e) Pyramid

(i)



**Question 2:**

What shape is:

- (a) Your instrument box?
- (b) A brick?
- (c) A match box?
- (d) A road-roller?
- (e) A sweet laddu?

**Answer 2:**

- (a) Cuboid
- (b) Cuboid
- (c) Cuboid
- (d) Cylinder
- (e) Sphere